

SUPPLEMENT TO



The Gazette of India

No. 9] NEW DELHI, SATURDAY, MARCH 1, 1958/PHALGUNA 10, 1879

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st February, 1958

CHOLERA	SMALLPOX	PLAQUE	LURK		SMALLPOX		PLAQUE	
			C.	D.	C.	D.	C.	D.
Andhra Pradesh						Madras		
“N.R.”			Madras City	•	•	3	1	140
			Chingleput	•	•	15	5	23
Assam			South Arcot	•	~	135	78	36
“N.R.”			Tiruchirapalli	•	~	15	16	17
Bihar			Tanjore	•	•	51	25	32
“N.R.”			Madurai	•	•	114	54	13
Bombay			Ramanathapuram	•	~	39	23	25
“N.R.”			Tirunelveli	•	•	57	34	8
			North Arcot	•	•	2	2	4
			Salem	•	•	69	31	35
			Coimbatore	•	•	103	55	59
Delhi						Kanya Kumari	•	..
Delhi City	4	17	11
Delhi Notified Area Committee	1		
TOTAL	•	•	4	1	TOTAL	..
Total for w/e 25-1-58	5	643	324
Total for w/e 18-1-58	842	436
Total for w/e 18-1-58	412	100
Manipur								
Himachal Pradesh						TOTAL
“N.R.”					
					
Kerala						Total for w/e 25-1-58
“N.R.”						Total for w/e 18-1-58
						
Madhya Pradesh						Mysore		
“N. R.”						“N.R.”		

Explanation of Symbols used : C.=Case ; D.=Deaths ; ..=2nd

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st February, 1958—contd.

Explanation of symbols used : C = Cases ; D = Deaths ; - Nil ; "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 1st February, 1958—*contd.*

	CHOLERA						SMALLPOX						PLAQUE												
	C.		D.		C.		D.		C.		D.		C.		D.		C.								
	Bombay— <i>contd.</i>						Mysore— <i>contd.</i>																		
Ahemdnagar	4	*						Belgaum	.	.	2					
E. Khandesh	.	4	1	141	15						Bijapur	.	.	1	1					
Nasik	7	2	..						South Kanara	6	2	..					
Poona	—	7	1	..						TOTAL	.	.	15	2	107	28	..					
Ratnagiri	3						Kerala												
Panchmahals	2	2	..						For w/e 18-1-1958												
West Khandesh	3						Tiruvandrum	15	4					
North Satara	2						Quilon	12	7	..					
Sholapur	16	1					Trecher	7	6	..					
Akola	22					Malabar	20	11	..					
Amravati	37	5					TOTAL	54	28	..					
Buldhana	45	1	..						For w/e 25-1-1958												
Chanda	130	5					Tiruvandrum	.	.	4	3	10	3	..					
Nagpur	1						Quilon	31	8	..					
Wardha	6					Kotiarjam	11	5	..					
Yeotmal	102	17	..						Tachur	21	16	..					
Aurangabad	3	3	..						Malabar	66	10	..					
Bhir	1					TOTAL	.	.	4	3	139	42	..					
Osmanabad	2	2	..						Rajasthan												
TOTAL	.	5	1	883	137						For w/e 25-1-1958												
Punjab																									
<i>For w/e 25-1-1958</i>																									
Rohtak	4				Ajmer	1					
Karnal	1				Jaipur	36	7	..					
Ambala	5				S. Madhopur	47	2	..					
Bhatinda	4	1				Sikar	5	2	..					
TOTAL	13	2				Bharatpur	5					
Mysore																									
<i>For w/e 25-1-1958</i>																									
Bangalore	26	14					Ajmer	1					
Chitaldrug	11					Jaipur	36	7	..					
Chikmagalur	4	2					S. Madhopur	47	2	..					
Kolar	2	2					Sikar	5	2	..					
Mandy	1					Bharatpur	5					
Mysore	50	8					Jhalasvar	15					
Bellary	3					Chun	10	3	..					
Gulberga	1					TOTAL	195	32	..					
Raichur	1	1	3	..					(Information based on patients treated in hospital of important towns)												
													Palomycosis												
													Place	F/c	Case	Death									
													Punjab	31-1-58	16	..									

REMARKS

Small-pox :—Heavy incidence of the disease was reported during the week from Madras City and Keonjhar districts of Orissa.

Epidemic conditions were reported from Puri and Ganjam districts of Orissa State.

Explanation of Symbols used = : C.—Cases ; D.—Deaths ; ..—Nil.

NEW DELHI (INDIA) ;
The 24th February, 1958.

H. R. SHARMA,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st February, 1958

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Andhra Pradesh												"N.R."		
Assam												"N.R."		
Bihar												"N.R."		
Bombay												"N.R."		
Delhi														
Delhi City	1,372	624	23.7	40	5	48	..	181	6.9	44	
New Delhi	589	1.2	17.0	3	..	90	7.9	13	
N.A.C Civil Station Delhi	22	10	21.0	..	1	..	1	1	2	1	9	2.1	1	
Delhi Cantt.	62	10	8.4	
Delhi Shahdara	50	42	43.7	3	..	5	5.2	..	
TOTAL	2,296	958	21.7	..	1	..	41	6	56	1	285	6.4	58	
Kerala												"N.R."		
Madhya Pradesh												"N.R."		
Madras														
Ambur	18	18	19.5	3	5	..	19	20.6	5	
Aruppukottai	62	21	19.3	7	3	2	..	21	17.6	4	
Bodinayakumur	4	17	20.5	2	8	9.7	2	
Chidambaram	43	22	26.6	4	4	..	21	37.5	7	
Coimbatore	257	210	40.9	1	10	25	1	127	24.7	28	
Cuddalore	76	81	58.2	11	3	7	3	..	44	30.1	3	
Dindigul	100	72	37.4	9	7	..	1	34	17.7	2	
Erode	77	74	36.5	3	1	10	1	32	21.6	3	
Gobichettipalayam†														
Guddiyattam	58	40	35.9	..	1	..	1	5	3	..	20	17.9	3	
Kancheepuram	92	55	30.8	..	2	..	1	11	14	..	48	26.8	9	
Karikudi	47	37	40.9	1	11	12.2	..	
Karur	57	27	24.6	1	3	3	14	12.8	5	
Kumbakonam	115	89	40.2	1	..	23	10.4	2	
Madras City	2,071	..	31.9	3	48	..	87	91	173	2	751	19.4	204	
Madurai	31.1	28	23	25	..	255	27.2	44	
Mayuram	53.0	2	1	..	17	16.7	3	
Mattapalayam†														
Nagapattinam	62	47	39.4	1	1	3	..	26	21.8	3	
Nagercoil	109	27	12.9	..	7	..	1	1	18	8.6	1	
Ootacamund	53	21	28.5	1	8	..	14	13.7	6	
Paln	44	28	33.1	1	1	2	2	1	14	16.5	3
Palayamkottai	48	65	70.4	4	1	1	2	2	62	67.2	1
Periyakulam†														
Pollachi†	60	40	34.7	..	3	..	1	2	5	..	28	24.3	9	
Pudukkottai	54	41	39.5	1	1	..	17	16.4	3	
Rajapalayam	74	66	46.4	5	6	..	23	16.2	4	
Salem	279	152	28.3	..	3	..	10	9	12	1	73	13.6	7	
Sriangam	46	47	53.1	1	3	..	15	17.0	1	
Srivilliputur	40	34	39.3	5	19	22.0	6	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used :— B = Births ; B.R. = Birth Rate ; C = Cholera ; S = Smallpox ; P = Plague, F = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India in the week ending the 1st February, 1958—*contd.*

Deaths from—

Town	Mid-year Popu.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras—(contd.)													
Tanjore	133	75	29.3	3	9	9	2	58	22.7	12
Tiruchirappalli	276	220	41.4	1	4	20	1	83	15.6	11
Tirunelveli	84	80	49.5	2	2	6	9	1	57	21.3	10
Tiruppur	73	47	33.5	1	2	..	16	17.4	2
Tiruvannamalai	47	37	40.9	1	2	1	18	19.9	4
Tuticorin	131	79	34.0	2	6	20	2	67	18.8	14
Vaniyambadi	45	43	49.7	1	3	2	12	13.8	2
Vellore	141	100	36.9	2	1	5	13	2	63	23.1	13
Villupuram	42	35	43.3	1	..	7	3.7	2
Virudhunagar	57	36	32.8	1	1	1	..	11	10.0	2
TOTAL	5,531	3,685	34.6	31	64	..	173	235	388	21	2,156	20.3	440
Mysore													
Bangalore	1,246	551	23.0	..	8	..	9	76	96	..	301	12.6	..
Mysore	347	181	27.1	..	2	..	26	3	11	..	86	12.9	..
Kolar Gold Fields	180	97	28.0	..	1	..	7	7	4	1	42	13.1	..
Bellary	83	31	19.4	..	1	..	3	33	20.7	..
Davangere	85	55	33.6	..	2	..	3	1	23	14.7	..
Shimoga	68	20	15.3	11	11	8.4	..
Bhadravat†													
Hospet†													
Tumkur	51	26	26.5	18	18	18.4	..
Kolar†													
Chitaldrug													
Hassan†													
Bidar†													
Gulberg†													
Raichur	74	1	0.7	..	2	..	1	..	4	..	8	5.6	..
Belgaum	110	102	48.2	3	1	3	..	19	9.0	..
Bijapur†													
Dharwar	85	15	9.2	3	..	15	9.2	..
Mangalore	153	106	36.1	1	2	13	4.4	..
Magarkot	39	14	18.7	2	..	9	12.0	..
Hubli†													
Gadag (Bettigere)	73	50	35.6	8	1	2	1	23	16.4	..
TOTAL	2,631	1,252	24.7	..	16	..	91	88	125	3	603	11.9	..
Orissa													
Behrampur	81	60	38.5	..	22	..	3	3	4	..	50	12.1	12
Cuttack	129	111	44.7	6	3	8	..	13	17.3	6
Puri	56	55	51.1	..	3	..	9	1	26	16.0	9
TOTAL	266	226	44.2	..	25	..	18	7	12	..	121	13.6	23
Pondicherry	68	60	45.9	3	5	1	2	23	17.5	12

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; R.—Rivers; D.D.—Dysentery and Diarrhoea; D.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infective deaths (included in total deaths); ..—Nil Information.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st February, 1958—*contd.*

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Punjab													
Ambala	62	70	58.7	6	..	5	..	15	12.6	7
Amritsar	359	199	28.8	5	18	1	60	8.7	24	
Barala	66	53	41.8	2	..	1	..	5	4.1	2
Bhawanipore	59	45	39.7	4	..	2	..	11	9.7	3
Ferozepore	47	31	36.5	3	..	10	11.1	2
Hissar	41	38	48.2	2	5	6.3	3
Hoshiarpur	54	35	31.7	3	5	4.8	1
Jullundur	230	171	8.7	3	3	13	..	28	6.3	8
Karnal	83	64	40.1	4	..	1	..	8	5.0	1
Ludhiana	194	180	48.2	2	..	4	..	41	11.0	9
Moga†	45	28	32.4	1	..	3	..	8	9.2	3
Pathankot	72	48	34.7	1	..	1	..	5	3.6	2
Rehbari	56	56	80.9	2	..	6	8.7	1
Rohilkot	40	31	40.3	4	1	1	..	8	10.4	3
Simla	96	81	43.9	1	..	2	..	8	4.3	2
Sonepat	53	34	33.4	1	..	4	3.9	2
Sonatindia	36	24	34.7	7	11	15.9	1
Talwandi	40	29	33.5
Malerkotla	35	30	44.6	5	..	2	..	8	11.9	..
Patiala	125	38	15.8	3	..	5	..	20	8.3	6
TOTAL	1,778	1,287	37.6	—	48	9	64	1	266	7.8	80

Rajasthan

Ajmer	244	71	15.1	8	14	10	..	28	6.0	4
Alwar	61	16	12.8	4	..	1	..	11	8.8	3
Beawar	65	16	12.8	4	..	1	..	11	8.8	3
Bharatpur	39	117	50	22.2	3	1	9	..	23	10.2
Bikaner	117	52	1	..	2	2.0	..
Churu	52
Ganganagar	6	14	11.2	4	7	5.6	2
Jaipur	367
Jodhpur	207
Kotah	74	2	1.9	3	..	4	3.8
Sikar	55
Tonk	46
Udaipur	121	4	1.7	1	2	0.9	..
TOTAL	719	157	11.4	20	2	24	..	77	5.6	11

Uttar Pradesh

Agra	404	400	51.5	1	40	..	95	12.2	27
Allahabad	372	150	21.0	1	21	..	51	7.1	12
Amroha	61	47	40.1	1	..	10	..	22	18.8	10
Bahraich	49	21	22.3	1	..	1	..	3	3.2	..
Banaras	416	343	41.6	..	1	..	35	5	28	..	187	23.4	39
Banda†	206	81	20.4	3	3	8	..	21	5.3	6
Bareilly
Basti†
Ballia†
Bijnor†
Budawā†

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; O.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st February, 1958—*concl.*

Deaths from:—

Town	Mid-year Popn. Est. ('000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.**	I.D.
Uttar Pradesh—<i>contd.</i>													
Bulandshahr	45	7	6.1	3	3.5	..
Chandausi	44	33	39.0	4	..	4	..	15	17.7	3
Dehra Dun	186	62	17.3	1	1	15	4.2	5
Btawali													
Fazabad-Ayodhya	94	40	22.1	..	1	..	1	..	2	2	13	6.1	2
Farukhabad-Fatehpur	78	47	31.3	6	..	4	..	14	9.3	4
Ferozabad	93	36	20.1	3	6	3.4	2
Gazipur	35	12	17.8	7	..	2	..	11	11.3	..
Ghaziabad	68	24	18.4	5	3.8	2
Gonda	35	9	13.4	1	..	3	4.4	1
Gorakhpur	150	30	27.7	2	..	8	..	22	7.6	6
Hapur	65	42	33.6	4	..	5	..	13	10.4	4
Hardwar†													
Hathras	65	51	40.8	8	11	8.8	1
Taunpur	59	30	26.4	5	..	3	..	12	10.6	1
Jhansi	132	72	28.4	11	..	6	..	29	11.4	5
Kaunpur	810	349	22.4	..	2	..	120	23	46	6	311	20.0	7
Kasganj	34	14	21.4	2	2	3.1	1
Khurja†	41	20	25.4	6	..	3	..	10	12.7	2
Koi-Aligarh	167	55	17.1	2	3	5	..	14	4.4	7
Lucknow	525	230	22.8	..	5	..	26	9	45	..	183	18.1	33
Mathura	118	88	38.8	..	1	..	6	1	3	..	19	8.4	4
Mau-Nath Bhanjan†													
Meerut	198	107	28.1	..	1	..	6	1	7	..	19	5.0	4
Mirzapur Vindhya Chal	100	38	10.8	4	3	1	..	17	8.8	4
Moradabad	165	110	34.7	5	1	12	..	32	10.1	2
Muzaffarnagar	81	30	19.3	10	..	4	..	18	11.5	6
Pilibhit	47	27	29.9	4	..	5	..	10	11.7	1
Rampur†													
Saharanpur	178	117	34.2	21	1	4	..	34	9.9	9
Sambhal†													
Sitapur	52	12	12.0	5	..	10	..	5	5.0	2
Shahjahanpur	112	98	45.5	15	..	10	..	38	17.6	6
TOTAL	5,285	2,872	28.3	..	11		327	53	294	8	1,261	12.4	298

West Bengal

"N.R."

ARREAR INFORMATION.

Rajasthan

For w/e 25-1-58

Udaipur	121	3	1.3	2	0.9	..
Beawar	65	15	12.0	..	1	..	10	..	2	..	17	13.6	3
Jaipur	419	99	12.3	45	3	7	1	99	12.3	37
Ganganagar	65	6	4.8	5	1	7	..	7	5.6	4
Alwar	61	34	29.0	1	1	9	7.7	5

Punjab

w/e 25-1-1958

Ferozepur	47	18	19.9	2	..	2	..	5	5.5	..
w/c 18-1-1958													
Ferozepur	47	32	35.4	7	..	11	12.2	3

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.O.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st February, 1957—contd.

Town	Mid-year Popn. Est. (ooo)	Deaths from :—											
		B.	BR.*	C.	S.	P.	F.	DD.	RD.	M.D.	Total	D.R.*	I.D.
Madhya Pradesh		<i>w/e 7-12-1957</i>											
Greater Gwalior	281	67	12.4	..	I	..	I	..	6	I	16	3.0	I
Itarsi	32	19	30.9	I	2	3.2	I
Chhindwara	32	33	53.6	14	22.8	4
Bilaspur	40	38	49.4	2	2	18	23.4	8
Mhow	50	24	25.0	2	2	2.1	..
Raigarh	36	4	5.8	1	1.4	I
TOTAL	471	185	20.4	..	I	..	6	2	6	I	53	5.9	15
<i>w/e 9-11-1957</i>													
Chhindwara	32	16	26.0	I	5	8.1	..
<i>w/e 16-11-1957</i>													
Do.	Do.	30	48.8	2	..	I	..	II	17.9	I
<i>w/e 23-11-1957</i>													
Do.	Do.	19	30.9	3	8	13.0	3
<i>w/e 30-11-1957</i>													
Do.	Do.	25	40.6	3	..	I	..	13	21.1	6
Mhow	50	22	22.9	I	I	1.0	..
<i>w/e 21-12-1957</i>													
Greater Gwalior	281	18	3.3	2	..	4	I	25	4.6	4
Mandsaur	42	7	8.7	I	..	I	I	3	3.7	..
Ujjain	162	56	18.0	7	4	28	9.0	5
Bilaspur	40	20	26.0	3	I	I	..	14	18.2	I
Chhindwara	32	21	34.1	2	I	7	11.4	3
Raigarh	36	4	5.8	2	2.9	2
Mhow	50	16	16.6	I	I	1.0	..
Indore	381	150	20.5	..	9	..	14	2	9	..	99	13.5	30
Khandwa	61	16	13.6	I	..	I	..	3	2.6	..
Barhanpur	81	43	27.6	6	..	4	..	17	10.9	..
TOTAL	1,166	351	15.7	..	9	..	37	4	20	6	199	8.9	45
Madhya Pradesh		<i>w/e 28-12-1957</i>											
Indore	381	185	25.2	..	I	..	I4	I	8	..	86	11.7	25
Itarsi	32	16	26.0	2	I	4	6.5	I
Mandsaur	42	11	13.6	3	..	3	3.7	..
Bilaspur	40	23	29.9	2	8	10.4	4
Mhow	47	13	14.4	3	3.3	..
Greater Gwalior	281	85	15.7	..	2	..	5	..	2	..	22	4.1	2
Ujjain	162	60	19.3	I	33	10.6	10
Chhindwara	32	19	30.9	3	I	I	..	16	26.0	6
Khandwa	61	21	17.9	6	..	2	..	9	7.7	..
Bushanpur	81	65	41.7	3	2	I	..	19	12.2	..
TOTAL	1,159	498	22.3	..	I5	..	35	5	I7	I	203	9.1	48
<i>w/e 4-1-1958</i>													
Indore	423	437	53.7	..	I0	..	I4	2	I6	..	97	11.9	33
Itarsi	37	19	26.7	I	I	3	4.2	I
Bilaspur	54	23	22.1	6	II	10.6	4
Greater Gwalior	297	96	16.8	6	I	I	..	21	3.7	..
Ujjain	183	45	12.8	4	I	27	7.7	10
Mandsaur	44	8	9.5	I	..	I	1.2	..
Mhow	52	19	19.0	I	1.0	..
Raigarh	39	3	4.0	I	..	I	1.3	..
TOTAL	1,129	650	29.9	..	I0	..	31	4	I9	I	162	7.5	48

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

1701 of Symbols used — B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); . . .=Nil information; "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st February, 1958—contd.

Deaths from :—

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of Symbols used --B. = Births ; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fevers; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths) : - = Nil information; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 1st February, 1958—concl.

Deaths from:—

*In case of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†Figures not available.]

Explanation of Symbols used.—B.—Births, B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Death; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); :—Nil information; "N.R."—Information not received.

REMARKS

The figures of births and deaths shown in this statement for week ending the 1st February, 1958 relate to 121 towns from the States of Delhi, Madras, Mysore, Orissa, Pondicherry, Punjab, Rajasthan and Uttar Pradesh, with a population average of 18,574 thousands out of total population 46,893 thousands in 319 towns in the country. The number of births and deaths recorded in these

towns were 10,497 and 4,792 registering birth and death rates of 29.4 and 13.4 per thousand of population respectively.

No town recorded a high death rate of 50 or over. The following table gives the registered rates for different States:—

States	Current w/e 1-2-58		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Delhi	21.7	6.4	26.1	7.7
Madras	34.6	20.3	37.2	22.4
Mysore	24.7	11.9	27.7	12.1
Orissa	44.2	23.6	46.2	24.8
Pondicherry	45.9	17.6	53.5	23.7
Punjab	37.6	7.8	31.8	7.6
Rajasthan	11.4	5.6	12.3	10.3
Uttar Pradesh	28.3	12.4	29.0	12.1
India	29.4	13.4	30.8	14.4

NEW DELHI-2 (INDIA); }
The 24th February, 1958. }

H. R. SHARMA,
for Registrar General, India.

Weekly Cotton Press Return

1. Statement of cotton pressed in India for the weeks ending 6th, 13th 20th and 27th, of the month September, 1957

Section 5 (2) of the cotton Ginning and Pressing Factories Act, 1925 as adopted by the Adaptation of Laws Order, 1950.

(In Running bales)

Weekly Cotton Press Return—contd.

I. Statement of cotton press in India for the weeks ending 6th, 13th, 20th and 27th of the month
 September 1957—contd.

(In Running bales)

Weekly Cotton Press Return—cont'd.

**i. Statement of cotton press in India for the weeks ending 6th, 13th, 20th and 27th of the month
September 1957—contd.**

(In Running bales)

I	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
g. Madhya Bharat	1. U P Deshi
	2. M.B & Raj. & American
	3. Jarila
	4. Melvi
	5. M.B O. areas
	TOTAL
g. Bihar	1. Melvi
	2. M.B & mras
	TOTAL
	STATE TOTAL
	Cotton Lint
	Cotton Waste
g. MADRAS	1. Westco
	2. Mungari
	3. White and red Northerns
	4. Madras Cambodia	.	497	1,067	457	1,138	3,73	4,334	4,485	1,450	1,433	6,702	3,159	6,702	.
	5. Madras Cambodia Uganda	.	658	868	734	110	2,320	1,332	694	659	842	3,51	2,320	3,507	.
	6. Nadam, Bourbon and Uppam
	7. Warriangal & Cocanadas	4
	8. Tirunelveli	60	.	64	.	64	.
	9. Karungunni	.	35	10	149	91	381	98	34	14	.	146	381	146	.
	10. Chinampathy
	STATE TOTAL
	Cotton Lint	.	1,140	2,341	1,340	1,339	5,860	3,720	2,173	2,143	2,429	10,419	5,360	10,419	.
	Cotton Waste	.	1,450	1,693	625	716	4,544	1,131	1,295	1,021	8,431	4,289	4,544	4,289	.
g. PUNJAB Amritsar 11	Punjab Desi
	Punjab American
	TOTAL
g. Jalandhar 12	Punjab Desi	57	..	57	..
	Punjab American	57	..	57	57
	TOTAL	57	..	57	57
g. Amritsar 13	Punjab Desi
	Punjab American
	TOTAL
g. Meerutpur 14	Punjab Desi
	Punjab American
	TOTAL
g. Patiala 15	Punjab Desi
	Punjab American
	TOTAL
	STATE TOTAL
	Cotton Lint	57	..	57	57
	Cotton Waste	57	..	57	..

Weekly Cotton Press Return—contd.

1. Statement of cotton pressed in India for the week ending 6th, 13th, 20th and 27th of the month
September 1957—contd.

(In Running balances)

Weekly Cotton Press Return—contd.

1. Statement of cotton pressed in India for the weeks ending 6th, 13th, 20th and 27th of the month
September 1957—concl.

(In Running bales)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
XI. TRIPURA	Cotton Lint
	Comillas
	Cotton Waste
XII. INDIA	Cotton Lint	..	2,944	4,009	5,473	3,036	..	15,262	5,994	4,382	6,227	4,696	..	21,199	15,266(a)
	Cotton Waste	..	2,375	2,897	857	817	..	6,946	2,822	2,656	2,457	2,740	..	10,675	6,946

*The whole state.

*Guntur, Kurnool, Anantapur, Cuddapah, East Godavari and Krishna.

*Warangal, Karimnagar, Adilabad, Medak, Nizamabad, Mahaboobnagar and Nalgonda.

*Thanjavur, Kolaba and Greater Bombay.

*Surat, Broach, Panchmahals, Kaira, Banaskantha.

Sabarkantha, Baroda & Mahesana

*Halar, Madhya Saurashtra, Zalanwadi, Sorath, Gohilwad, Kutch, and Amreli.

*Arangabad, Bhif, Parbhani, Nanded, and Osmanabad.

*Nagpur, Wardha, Chhanda, Amravati, Akola, Buldana and Yeotmal.

*East Khandesh, West Khandesh and Nasik.

*Sholapur, Ahmednagar, Poona, N. Sutara and Kholapur.

*Hissar, Rohtak, Gurgaon, Karnal, Ambala & Simla.

*Ludhiana, Kangra, Hoshiarpur and Jullundur.

*Amritsar, Gurdaspur.

*Ferozepur.

*Punjab, Sangrur, Bhatinda, Mohindergarh and Kapurthala.

*Dhulia, Saharanpur, Meerut, Bulandshahr, Aligarh, Muzaffarnagar.

*Mathura, Farrukhabad, Etah, Agra, Mainpuri, Etawah.

*Kanpur, Fatehpur, Allahabad, Jhansi, Jalaun, Hamirpur, Banda.

*Hardoi, Bareilly, Moradabad, Badaun, Bijnor.

Pilibhit, Nainital, Almora, Garhwal, Shahjahanpur.

*Mirzapur, Banaras, Gaipur, Jaunpur, Azamgarh, Ballia, Gorakhpur, Basti, Gonda, Bahraich, Kheri, Sitapur, Lucknow, Barabanki, Rai Bareli, Sultanpur, Fyzabad, Partapgarh, Unnao.

Note:—1. Information has been given according to new set up of States after their re-organisation on November 1, 1956.

2. Date for the corresponding week last year in respect of Saurashtra, Marathwada and Vidarbha regions of Bombay State and Karnataka region of old Hyderabad merged into Mysore State have not been included due to nonreceipt of information from the State authorities.

(a) Includes 4 bales not reported before.

N.A.—Not available.